

# G-Energy Expert G 10W-40, 15W-40 and 20W-50

Premium Passenger Vehicle Engine Oil





Engine oil



Semisynthetic SAE 10W-40



Mineral





Gasoline and diesel engines



High mileage vehicles

G-Energy Expert G oils are high quality mineral engine oils providing power, protection and extended engine life. These oils formulated with improved additive package providing thermal stability, detergent and dispersant properties improving engine cleanliness and prevent the formation of harmful deposits in the engine.

#### **Applications**











- Turbo-charged and direct injection engines
- Gasoline and diesel engines without diesel particulate filters (DPF) requiring oil with API SG/CD standards
- · Older engine technologies
- · Passenger cars, light trucks and vans

	Features	Advantages and Potential Benefits
**	Improved detergent and dispersant properties	Helps to maintain piston cleanliness preventing ring sticking and sludge formation
	Stay-in-grade	Stable viscosity index improver controls the viscosity of the oil throughout its service life for minimizing wear
+ + + + + + + + + + + + + + + + + + +	Thermal and oxidation stability	Helps to resist oil aging allowing extended drain interval protection
	Wear Protection	Excellent performance in both low and high temperature service for long engine life

# Recommendations

- API SG/CD
- **AVTOVAZ**

# **Typical Characteristics**

Properties	Method	G-Energy Expert G 10W-40	G-Energy Expert G 15W-40	G-Energy Expert G 20W-50
SAE Viscosity Grade	SAE J300	10W-40	15W-40	20W-50
Kinematic Viscosity @40°C, mm <sup>2</sup> /s	ASTM D445	95,9	113,0	168,3
Kinematic Viscosity @100°C, mm <sup>2</sup> /s	ASTM D445	14,2	14,8	18,4
Viscosity Index	ASTM D2270	152	135	122
Flash Point (COC), °C	ASTM D92	234	233	258
Pour Point, °C	ASTM D97	-38	-33	-30
Total Base Number, mg KOH/g	ISO 6619	6,5	6,5	6,5
Density @15°C, kg/m <sup>3</sup>	ASTM D4052	872	880	886

**ISO 9001** 


**ISO** 14001

**♥** ISO/TS 16949

**OHSAS 18001** 

CERTIFIED

#### G-Energy Expert G oils performance benefits compared to API SG



## **Health, Safety & Environment**

Information is provided for products in the relevant Safety Data Sheet (SDS). This provides guidance on potential hazards, precautions and first-aid measures, together with environmental effects and disposal of used products. SDS's are available upon request through your sales contract office. This product should not be used for purposes other than its intended use.

#### G-Energy Expert G 10W-40 recommendations\*

Makes	Models	Engines
CHEVROLET	TICO, ESPERO, NEXIA	Gasoline and Diesel before 1997
DAIHATSU	CUORE, MIRA, CHARADE, TREVIS, MOVE, SIRION, YOUNG RV, MATERIA, TERIOS, COPEN	Gasoline before 1998
GAZ	3102, 31029, 3110	Gasoline before 2007
GEELY	BEAUTY LEOPARD, FREE CRUISER, YUANJIN, VISION, MEIRI ULIOU	Gasoline before 2010
HONDA	CIVIC, ACCORD, LEGEND, NSX	Gasoline and Diesel before 1992
HYUNDAI	ACCENT, ELANTRA, MATRIX, SANTA FE, SONATA	Gasoline and Diesel before 1998
JEEP	GRAND CHEROKEE, CHEROKEE	Gasoline and Diesel before 1998
KIA	CARENS, CARNAVAL, MAGENTIS/OPTIMA, SPECTRA/SEPHIA/SHUMA, SPORTAGE	Gasoline and Diesel before 1997
LADA	Все модели	Gasoline before 2000
MAZDA	3, 323, CAPELLA, DEMIO, FAMILIA, PREMACY, VERISA	Gasoline and Diesel before 1998
MITSUBISHI	CARISMA, COLT, GALANT, L200, LANCER, MIRAGE, PAJERO, PININ, SPACE STAR	Gasoline and Diesel before 2000
NISSAN	ALMERA, MAXIMA, MICRA, MARCH, PATHFINDER, PATROL, TERRANO, PRIMERA, SKYLINE	Gasoline and Diesel before 1995
RENAULT	CLIO, LAGUNA	Gasoline before 1995
TOYOTA	CAMRY, CARINA, COROLLA, CORONA, LAND CRUISER, MARK	Gasoline and Diesel before 1992
UAZ	469, 452, 3741, 3151, HUNTER	Gasoline and Diesel before 2003

<sup>\*</sup>Third party data is used to determine the recommended products. G-Energy Lubricants accepts no liability for the suitability of any recommendation made. Any decisions you make based on this information are your sole responsibility. Before adding any products to your vehicle, please always check vehicle/equipment handbook to confirm the suitability of any product recommendations for your vehicle/equipment.

## G-Energy Expert G 15W-40 and 20W-50 recommendations\*

Makes	Models	Engines
CHEVROLET	TICO, ESPERO, NEXIA	Gasoline and Diesel before 1997
DAIHATSU	CUORE, MIRA, CHARADE, TREVIS, MOVE, SIRION, YOUNG RV, MATERIA, TERIOS, COPEN	Gasoline before 1998
GAZ	3102, 31029, 3110	Gasoline before 2007
GEELY	BEAUTY LEOPARD, FREE CRUISER, YUANJIN, VISION, MEIRI ULIOU	Gasoline before 2010
HONDA	CIVIC, ACCORD, LEGEND, NSX	Gasoline and Diesel before 1992
HYUNDAI	ACCENT, ELANTRA, MATRIX, SANTA FE, SONATA	Gasoline and Diesel before 1998
JEEP	GRAND CHEROKEE, CHEROKEE	Gasoline and Diesel before 1998
KIA	CARENS, CARNAVAL, MAGENTIS/OPTIMA, SPECTRA/SEPHIA/SHUMA, SPORTAGE	Gasoline and Diesel before 1997
LADA	All models	Gasoline before 2000
MAZDA	3, 323, CAPELLA, DEMIO, FAMILIA, PREMACY, VERISA	Gasoline and Diesel before 1998
MITSUBISHI	CARISMA, COLT, GALANT, L200, LANCER, MIRAGE, PAJERO, PININ, SPACE STAR	Gasoline and Diesel before 2000
NISSAN	ALMERA, MAXIMA, MICRA, MARCH, PATHFINDER, PATROL, TERRANO, PRIMERA, SKYLINE	Gasoline and Diesel before 1995
RENAULT	CLIO, LAGUNA	Gasoline before 1995
TOYOTA	CAMRY, CARINA, COROLLA, CORONA, LAND CRUISER, MARK	Gasoline and Diesel before 1992
UAZ	469, 452, 3741, 3151, HUNTER	Gasoline and Diesel before 2003

<sup>\*</sup>Third party data is used to determine the recommended products. G-Energy Lubricants accepts no liability for the suitability of any recommendation made. Any decisions you make based on this information are your sole responsibility. Before adding any products to your vehicle, please always check vehicle/equipment handbook to confirm the suitability of any product recommendations for your vehicle/equipment.